

TU Plug Plug van nylon/polypropyleen

De expansieplug TU Plug van nylon/polypropyleen is geschikt voor het bevestigen van lichte elementen op holle of volle ondergronden.

Features

Materiaal

- Plug : nylon.

Voordelen

- Kan worden gebruikt voor de meeste lichte bevestigingen
- Antirotatievleugels
- zigzaggleuf, voorkomt verkeerde uitlijning van de schroef in de plug
- maximale uitzetting


Applications

Toepassingsgebieden

- Bevestiging van houten steunlatten/kepers,
- lichte ramen en deuren,
- Bevestiging van panelen.

Ondergrond

- Ongescheurd beton,
- Hol en vol metselwerk.




* *Previous version geometry*

Technical Sheet



TU Plug

Plug van nylon/polypropyleen



Product Dimension - Polypropylene Plug - Rimmed plug

Referentie	Nylon fixings dimensions					Nylon fixings Installation data			
	Info product[mm]					Montagegegevens			
	Productreferentie	Min. screw diameter [d] [mm]	Max. screw diameter [d] [mm]	Verpakking[stk]	Qty per outer box	Hole diameter x anchor length [d _o xL][mm]	Min. hole depth [h ₁] [mm]	Nominal embedment depth [h _{nom}] [mm]	Min. support thickness [h _{min}][mm]
* <i>Previous version geometry</i>									

TU Plug Plug van nylon/polypropyleen

Plaatsing

